

Table top ice cream machine series

Model NO. :BJD128SD-6Y

Hourly Production: 8-12L/H(soft) 6L/H(hard)

Hopper Volume: 7.2L*1

Power:1000W

Product Dimension :430*650*750MM

1. suitable for soft&hard ice cream, 2. cone counting display, 3. ice cream evaporating temp display, 4. transparent output system, 5. integrated front board design, 6. 16 shifts adjustable, 7. standby time adjustable, 8. low mix alert and auto recovery, 9. unstable voltage alert, 10. strap skid alert, 11. high temp alert, 12. refrigeration system trouble alert, 13. cylinder freezing alert system



Model NO. :BJD168SD-8Y

Hourly Production: 12-16L/H(soft) 8L/H(hard)

Hopper Volume: 7.2L*1

Power:1100W

Product Dimension :430*750*750MM

1. suitable for soft&hard ice cream, 2. cone counting display, 3. ice cream evaporating temp display, 4. transparent output system, 5. integrated front board design, 6. 16 shifts adjustable, 7. standby time adjustable, 8. low mix alert and auto recovery, 9. unstable voltage alert, 10. strap skid alert, 11. high temp alert, 12. refrigeration system trouble alert, 13. cylinder freezing alert system



Model NO. :BJD188SD-10Y

Hourly Production: 18-20L/H(soft) 10L/H(hard)

Hopper Volume: 7.2L*1

Power:1600W

Product Dimension :430*750*750MM

1. suitable for soft&hard ice cream, 2. cone counting display, 3. ice cream evaporating temp display, 4. transparent output system, 5. integrated front board design, 6. 16 shifts adjustable, 7. standby time adjustable, 8. low mix alert and auto recovery, 9. unstable voltage alert, 10. strap skid alert, 11. high temp alert, 12. refrigeration system trouble alert, 13. cylinder freezing alert system



Model NO. :BJ168SD
Hourly Production: 12-16L/H(soft)
Hopper Volume: 7. 2L*1
Power: 1100W
Product Dimension: 480*685*800MM

1. cone counting display, 2. ice cream evaporating temp display, 3. integrated front board design, 4. 16 shifts adjustable, 5. output handle auto return design, 6. removable leakage holder, 7. standby time adjustable, 8. low mix alert and auto recovery, 9. unstable voltage alert, 10. strap skid alert, 11. high temp alert, 12. refrigeration system trouble alert, 13. cylinder freezing alert system



Model NO. :BJ188S
Hourly Production: 18-20L/H(soft)
Hopper Volume: 5. 8L*2
Power: 1850W
Product Dimension: 540*665*790MM

1. cone counting display, 2. ice cream evaporating temp display, 3. integrated front board design, 4. 16 shifts adjustable, 5. output handle auto return design, 6. removable leakage holder, 7. standby time adjustable, 8. low mix alert and auto recovery, 9. unstable voltage alert, 10. strap skid alert, 11. high temp alert, 12. refrigeration system trouble alert, 13. cylinder freezing alert system



Model NO. :BJ208S
Hourly Production: 20-25L/H(soft)
Hopper Volume: 5. 8L*2
Power: 2200W
Product Dimension: 540*665*790MM

1. cone counting display, 2. ice cream evaporating temp display, 3. integrated front board design, 4. 16 shifts adjustable, 5. output handle auto return design, 6. removable leakage holder, 7. standby time adjustable, 8. low mix alert and auto recovery, 9. unstable voltage alert, 10. strap skid alert, 11. high temp alert, 12. refrigeration system trouble alert, 13. cylinder freezing alert system



Floor Standing Ice Cream Machine Series

Model NO. :BJ118C

Hourly Production: 18-20L/H(soft)

Hopper Volume: 5.8L*2

Power: 1850W

Product Dimension: 540*665*1255MM

1. cone counting display, 2. ice cream evaporating temp display, 3. integrated front board design, 4. 16 shifts adjustable, 5. output handle auto return design, 6. removable leakage holder, 7. standby time adjustable, 8. low mix alert and auto recovery, 9. unstable voltage alert, 10. strap skid alert, 11. high temp alert, 12. refrigeration system trouble alert, 13. cylinder freezing alert system, 14. heavy duty multi-direction wheels with brake



Model NO. :BJ208C

Hourly Production: 20-25L/H(soft)

Hopper Volume: 5.8L*2

Power: 2200W

Product Dimension: 540*665*1255MM

1. cone counting display, 2. ice cream evaporating temp display, 3. integrated front board design, 4. 16 shifts adjustable, 5. output handle auto return design, 6. removable leakage holder, 7. standby time adjustable, 8. low mix alert and auto recovery, 9. unstable voltage alert, 10. strap skid alert, 11. high temp alert, 12. refrigeration system trouble alert, 13. cylinder freezing alert system, 14. heavy duty multi-direction wheels with brake



Model NO. :BJ328C

Hourly Production: 20-36L/H(soft)

Hopper Volume: 7. 2L*2

Power: 2800W

Product Dimension: 570*725*1355MM

1. cone counting display, **2.** ice cream evaporating temp display, **3.** integrated front board design, **4.** 16 shifts adjustable, **5.** output handle auto return design, **6.** removable leakage holder, **7.** standby time adjustable, **8.** low mix alert and auto recovery, **9.** unstable voltage alert, **10.** strap skid alert, **11.** high temp alert, **12.** refrigeration system trouble alert, **13.** cylinder freezing alert system, **14.** heavy duty multi-direction wheels with brake



Model NO. :BJ418C

Hourly Production: 38-45L/H(soft)

Hopper Volume: 7. 2L*2

Power: 3200W

Product Dimension: 570*725*1355MM

1. cone counting display, **2.** ice cream evaporating temp display, **3.** integrated front board design, **4.** 16 shifts adjustable, **5.** output handle auto return design, **6.** removable leakage holder, **7.** standby time adjustable, **8.** low mix alert and auto recovery, **9.** unstable voltage alert, **10.** strap skid alert, **11.** high temp alert, **12.** refrigeration system trouble alert, **13.** cylinder freezing alert system, **14.** heavy duty multi-direction wheels with brake



Model NO. :BJ468C-F
Hourly Production: 42-62L/H(soft)
Hopper Volume: 7. 2L*3
Power: 4000W
Product Dimension: 685*780*1455MM

1. cone counting display, 2. ice cream evaporating temp display, 3. integrated front board design, 4. 16 shifts adjustable, 5. output handle auto return design, 6. removable leakage holder, 7. standby time adjustable, 8. low mix alert and auto recovery, 9. unstable voltage alert, 10. strap skid alert, 11. high temp alert, 12. refrigeration system trouble alert, 13. cylinder freezing alert system, 14. heavy duty multi-direction wheels with brake, 15. double separate controlling system.



With Pre-cooling system series

Model NO. :BJ188CR
Hourly Production: 18-20L/H(soft)
Hopper Volume: 5. 8L*2
Power: 2000W
Product Dimension: 540*665*1255MM

1. cone counting display, 2. ice cream evaporating temp display, 3. integrated front board design, 4. 16 shifts adjustable, 5. output handle auto return design, 6. removable leakage holder, 7. standby time adjustable, 8. low mix alert and auto recovery, 9. unstable voltage alert, 10. strap skid alert, 11. high temp alert, 12. refrigeration system trouble alert, 13. cylinder freezing alert system, 14. heavy duty multi-direction wheels with brake, 15. tank pre cooling system(+5°C--+15°C).



Model NO. :BJ208CR
Hourly Production: 20-25L/H(soft)
Hopper Volume: 5. 8L*2
Power: 2350W
Product Dimension: 540*665*1255MM

1. cone counting display, 2. ice cream evaporating temp display, 3. integrated front board design, 4. 16 shifts adjustable, 5. output handle auto return design, 6. removable leakage holder, 7. standby time adjustable, 8. low mix alert and auto recovery, 9. unstable voltage alert, 10. strap skid alert, 11. high temp alert, 12. refrigeration system trouble alert, 13. cylinder freezing alert system, 14. heavy duty multi-direction wheels with brake, 15. tank pre cooling system(+5°C--+15°C).



Model NO. :BJ328CR
Hourly Production:30-36L/H(soft)
Hopper Volume:7.2L*2
Power:2950W
Product Dimension:570*715*1355MM

1. cone counting display, 2. ice cream evaporating temp display, 3. integrated front board design, 4. 16 shifts adjustable, 5. output handle auto return design, 6. removable leakage holder, 7. standby time adjustable, 8. low mix alert and auto recovery, 9. unstable voltage alert, 10. strap skid alert, 11. high temp alert, 12. refrigeration system trouble alert, 13. cylinder freezing alert system, 14. heavy duty multi-direction wheels with brake, 15. tank pre cooling system(+5°C--+15°C).



Model NO. :BJ418CR
Hourly Production:38-45L/H(soft)
Hopper Volume:7.2L*2
Power:3350W
Product Dimension:570*715*1355MM

1. cone counting display, 2. ice cream evaporating temp display, 3. integrated front board design, 4. 16 shifts adjustable, 5. output handle auto return design, 6. removable leakage holder, 7. standby time adjustable, 8. low mix alert and auto recovery, 9. unstable voltage alert, 10. strap skid alert, 11. high temp alert, 12. refrigeration system trouble alert, 13. cylinder freezing alert system, 14. heavy duty multi-direction wheels with brake, 15. tank pre cooling system(+5°C--+15°C).



Rainbow ice cream machine series

Model NO. :BJ168D/C
Hourly Production: 12-16L/H(soft)
Hopper Volume: 7.2L*1
Power:1160W
Product Dimension: 480*685*840MM

1. cone counting display, 2. ice cream evaporating temp display, 3. integrated front board design, 4. 16 shifts adjustable, 5. output handle auto return design, 6. removable leakage holder, 7. standby time adjustable, 8. low mix alert and auto recovery, 9. unstable voltage alert, 10. strap skid alert, 11. high temp alert, 12. refrigeration system trouble alert, 13. cylinder freezing alert system, 14. single rainbow system



Model NO. :BJ188C/C

Hourly Production: 18-20L/H(soft)

Hopper Volume: 5. 8L*2

Power: 1910W

Product Dimension: 540*665*1295MM

1. cone counting display, 2. ice cream evaporating temp display, 3. integrated front board design, 4. 16 shifts adjustable, 5. output handle auto return design, 6. removable leakage holder, 7. standby time adjustable, 8. low mix alert and auto recovery, 9. unstable voltage alert, 10. strap skid alert, 11. high temp alert, 12. refrigeration system trouble alert, 13. cylinder freezing alert system, 14. heavy duty multi-direction wheels with brake, 15. double rainbow system



Model NO. :BJ208C/C

Hourly Production: 20-25L/H(soft)

Hopper Volume: 5. 8L*2

Power: 2260W

Product Dimension: 540*665*1295MM

1. cone counting display, 2. ice cream evaporating temp display, 3. integrated front board design, 4. 16 shifts adjustable, 5. output handle auto return design, 6. removable leakage holder, 7. standby time adjustable, 8. low mix alert and auto recovery, 9. unstable voltage alert, 10. strap skid alert, 11. high temp alert, 12. refrigeration system trouble alert, 13. cylinder freezing alert system, 14. heavy duty multi-direction wheels with brake, 15. double rainbow system



Model NO. :BJ328C/C

Hourly Production: 30-36L/H(soft)

Hopper Volume: 7. 2L*2

Power: 2860W

Product Dimension: 570*725*1395MM

1. cone counting display, 2. ice cream evaporating temp display, 3. integrated front board design, 4. 16 shifts adjustable, 5. output handle auto return design, 6. removable leakage holder, 7. standby time adjustable, 8. low mix alert and auto recovery, 9. unstable voltage alert, 10. strap skid alert, 11. high temp alert, 12. refrigeration system trouble alert, 13. cylinder freezing alert system, 14. heavy duty multi-direction wheels with brake, 15. double rainbow system



Model NO. :BJ418C/C

Hourly Production: 38-45L/H(soft)

Hopper Volume: 7. 2L*2

Power:3410W

Product Dimension:570*715*1395MM

1. cone counting display, 2. ice cream evaporating temp display, 3. integrated front board design, 4. 16 shifts adjustable, 5. output handle auto return design, 6. removable leakage holder, 7. standby time adjustable, 8. low mix alert and auto recovery, 9. unstable voltage alert, 10. strap skid alert, 11. high temp alert, 12. refrigeration system trouble alert, 13. cylinder freezing alert system, 14. heavy duty multi-direction wheels with brake, 15. double rainbow system



Stainless steel ice cream machine series

Model NO. :BJ118CB

Hourly Production: 18-20L/H(soft)

Hopper Volume: 5. 8L*2

Power:1850W

Product Dimension: 540*665*1255MM

1. cone counting display, 2. ice cream evaporating temp display, 3. integrated front board design, 4. 16 shifts adjustable, 5. output handle auto return design, 6. removable leakage holder, 7. standby time adjustable, 8. low mix alert and auto recovery, 9. unstable voltage alert, 10. strap skid alert, 11. high temp alert, 12. refrigeration system trouble alert, 13. cylinder freezing alert system, 14. heavy duty multi-direction wheels with brake, 15. full stainless steel



Model NO. :BJ208CB
Hourly Production: 20-25L/H(soft)
Hopper Volume: 5.8L*2
Power: 2200W
Product Dimension: 540*665*1255MM

1. cone counting display, 2. ice cream evaporating temp display, 3. integrated front board design, 4. 16 shifts adjustable, 5. output handle auto return design, 6. removable leakage holder, 7. standby time adjustable, 8. low mix alert and auto recovery, 9. unstable voltage alert, 10. strap skid alert, 11. high temp alert, 12. refrigeration system trouble alert, 13. cylinder freezing alert system, 14. heavy duty multi-direction wheels with brake, 15. full stainless steel



Model NO. :BJ328CBE
Hourly Production: 30-36L/H(soft)
Hopper Volume: 7.2L*2
Power: 2800W
Product Dimension: 570*725*1355MM

1. cone counting display, 2. ice cream evaporating temp display, 3. integrated front board design, 4. 16 shifts adjustable, 5. output handle auto return design, 6. removable leakage holder, 7. standby time adjustable, 8. low mix alert and auto recovery, 9. unstable voltage alert, 10. strap skid alert, 11. high temp alert, 12. refrigeration system trouble alert, 13. cylinder freezing alert system, 14. heavy duty multi-direction wheels with brake, 15. full stainless steel



Model NO. :BJ468CFBRE

Hourly Production: 48-68L/H(soft)

Hopper Volume: 7. 2L*3

Power: 5100W

Product Dimension: 685*780*1455MM

1. cone counting display, 2. ice cream evaporating temp display, 3. integrated front board design, 4. 16 shifts adjustable, 5. output handle auto return design, 6. removable leakage holder, 7. standby time adjustable, 8. low mix alert and auto recovery, 9. unstable voltage alert, 10. strap skid alert, 11. high temp alert, 12. refrigeration system trouble alert, 13. cylinder freezing alert system, 14. heavy duty multi-direction wheels with brake, 15. full stainless steel



Model NO. :BJ418CBE

Hourly Production: 38-45L/H(soft)

Hopper Volume: 7. 2L*2

Power: 3200W

Product Dimension: 570*725*1355MM

1. cone counting display, 2. ice cream evaporating temp display, 3. integrated front board design, 4. 16 shifts adjustable, 5. output handle auto return design, 6. removable leakage holder, 7. standby time adjustable, 8. low mix alert and auto recovery, 9. unstable voltage alert, 10. strap skid alert, 11. high temp alert, 12. refrigeration system trouble alert, 13. cylinder freezing alert system, 14. heavy duty multi-direction wheels with brake, 15. full stainless steel



Model NO. :BJ568CBE/C
 Hourly Production: 48-62L/H(soft)
 Hopper Volume: 10. 2L*2
 Power: 4700W
 Product Dimension: 630*890*1400MM

1. cone counting display,
2. ice cream evaporating temp display,
3. integrated front board design,
4. 16 shifts adjustable,
5. output handle auto return design,
6. removable leakage holder,
7. standby time adjustable,
8. low mix alert and auto recovery,
9. unstable voltage alert,
10. strap skid alert,
11. high temp alert,
12. refrigeration system trouble alert,
13. cylinder freezing alert system,
14. heavy duty multi-direction wheels with brake,
15. full stainless steel

