













## Led spotlight series

		ZDMR16-21D					ZDGUI10-21D		
		Color	Warm White	White			Color	Warm White	White
		Color Temperature	2600-3000K	6000-7000K			Color Temperature	2600-3000K	6000-7000K
		LED Number	21LED				LED Number	21LED	
		LED Luminous Flux	5-6Lm				LED Luminous Flux	5-6Lm	
		LED Viewing Angle	30°				LED Viewing Angle	30°	
		Wattage(W)	1W±10%				Wattage(W)	1W±10%	
		Luminous Flux(Lm)	85-90Lm				Luminous Flux(Lm)	85-90Lm	
Sample Price:USD2.0/PCS	Efficiency(Lm/W)	85-90Lm/W			Sample Price:USD2.0/PCS	Efficiency(Lm/W)	85-90Lm/W		
200 pcs Price: USD1.5/PCS	Voltage(V)	12V			200 pcs Price: USD1.5	Voltage(V)	230V/125V		
	<b>Product size</b>	<b>5*5*4.5cm</b>				<b>Product size</b>	<b>5*5*5.6cm</b>		
	Base	MR16				Base	GU10,E14,E27		
		ZDGUI10-38D					ZDGUI10-48D		
		Color	Warm White	White			Color	Warm White	White
		Color Temperature	2600-3000K	6000-7000K			Color Temperature	2600-3000K	6000-7000K
		LED Number	38LED				LED Number	48LED	
		LED Luminous Flux	5-6Lm				LED Luminous Flux	5-6Lm	
		LED Viewing Angle	80°				LED Viewing Angle	80°	
		Wattage(W)	1.9W±10%				Wattage(W)	2.5W±10%	
		Luminous Flux(Lm)	161-171Lm				Luminous Flux(Lm)	213-225Lm	
Sample Price:USD3.0/PCS	Efficiency(Lm/W)	85-90Lm/W			Sample Price:USD3.1/PCS	Efficiency(Lm/W)	85-90Lm/W		
200 pcs Price: USD2.4/PCS	Voltage(V)	230V/125V			200 pcs Price: USD2.8/PCS	Voltage(V)	230V/125V		
	<b>Product size</b>	<b>5*5*5.6cm</b>				<b>Product size</b>	<b>5*5*5.6cm</b>		
	Base	GU10,E14,E27,MR16				Base	GU10,E14,E27,MR16		
		ZDB60-60D					ZDPAR20-38D		
		Color	Warm White	White			Color	Warm White	White
		Color Temperature	2600-3000K	6000-7000K			Color Temperature	2600-3000K	6000-7000K
		LED Number	38LED				LED Number	38LED	
		LED Luminous Flux	5-6Lm				LED Luminous Flux	5-6Lm	
		LED Viewing Angle	80°				LED Viewing Angle	80°	
		Wattage(W)	3W±10%				Wattage(W)	1.9W±10%	
		Luminous Flux(Lm)	255-270Lm				Luminous Flux(Lm)	162-171Lm	
Sample Price:USD5.0/PCS	Efficiency(Lm/W)	85-90Lm/W			Sample Price:USD4.5/PCS	Efficiency(Lm/W)	85-90Lm/W		
200 pcs: USD4.0/PCS	Voltage(V)	230V/125V			200 pcs Price: USD3.5/PCS	Voltage(V)	230V/125V		
	<b>Product size</b>	<b>6.3*6.3*6.7cm</b>				<b>Product size</b>	<b>6.3*6.3*7.9cm</b>		
	Base	GU10,E14,E27,MR16				Base	E27		

	<b>ZDPAR30-60D</b>				<b>ZDPAR38-80D</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	60LED			LED Number	80LED	
	LED Luminous Flux	5-6Lm			LED Luminous Flux	5-6Lm	
	LED Viewing Angle	80°			LED Viewing Angle	30°	
	Wattage(W)	3W±10%			Wattage(W)	4W±10%	
	Luminous Flux(Lm)	255-270Lm			Luminous Flux(Lm)	340-360Lm	
Sample Price:USD6.0/PCS	Efficiency(Lm/W)	85-90Lm/W		Sample Price:USD9.0/PCS	Efficiency(Lm/W)	85-90Lm/W	
200 pcs Price: USD4.6/PCS	Voltage(V)	230V/125V		200 pcs Price: USD8.5/PCS	Voltage(V)	230V/125V	
	<b>Product size</b>	<b>9.5*9.5*9.4cm</b>			<b>Product size</b>	<b>12.5*12.5*13cm</b>	
	Base	E27			Base	E27	
	<b>ZDPAR38-120D</b>				<b>ZDPAR38-180D</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	120LED			LED Number	180LED	
	LED Luminous Flux	5-6Lm			LED Luminous Flux	5-6Lm	
	LED Viewing Angle	30°			LED Viewing Angle	30°	
	Wattage(W)	6W±10%			Wattage(W)	9W±10%	
	Luminous Flux(Lm)	510-540Lm			Luminous Flux(Lm)	765-810Lm	
Sample Price:USD11.0/PCS	Efficiency(Lm/W)	85-90Lm/W		Sample Price:USD14.0/PCS	Efficiency(Lm/W)	85-90Lm/W	
200 pcs Price: USD10.0/PCS	Voltage(V)	230V/125V		200 pcs Price: USD12.4/PCS	Voltage(V)	230V/125V	
	<b>Product size</b>	<b>12.5*12.5*13cm</b>			<b>Product size</b>	<b>12.5*12.5*13cm</b>	
	Base	E27, E26			Base	E27, E26	
	<b>ZDPAR38-210D</b>				<b>ZDPAR56-252D</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	210LED			LED Number	252LED	
	LED Luminous Flux	5-6Lm			LED Luminous Flux	5-6Lm	
	LED Viewing Angle	30°			LED Viewing Angle	30°	
	Wattage(W)	10.5W±10%			Wattage(W)	12.5W±10%	
	Luminous Flux(Lm)	893-945Lm			Luminous Flux(Lm)	1063-1125Lm	
Sample Price:USD15.0/PCS	Efficiency(Lm/W)	85-90Lm/W		Sample Price:USD18.0/PCS	Efficiency(Lm/W)	85-90Lm/W	
200 pcs Price: USD13.8/PCS	Voltage(V)	230V/125V		200 pcs Price: USD17.0/PCS	Voltage(V)	230V/125V	
	<b>Product size</b>	<b>12.5*12.5*13cm</b>			<b>Product size</b>	<b>12.5*12.5*13cm</b>	
	Base	E27			Base	E27	



ZDMR16-48SMD		
Color	Warm White	White
Color Temperature	2600-3000K	6000-7000K
LED Number	48SMD (3528)	
LED Luminous Flux	4-5Lm	
LED Viewing Angle	120°	
Wattage(W)	2.5W±10%	
Luminous Flux(Lm)	170-185Lm	
Efficiency(Lm/W)	70-75Lm/W	
Voltage(V)	12V,220V,110V	
Product size	5*5*5.6cm	
Base	MR16	

Sample Price:USD3.5/PCS

200 pcs Price: USD3.0/PCS



ZDGM10-48SMDPL		
Color	Warm White	White
Color Temperature	2600-3000K	6000-7000K
LED Number	48SMD (3528)	
LED Luminous Flux	4-5Lm	
LED Viewing Angle	120°	
Wattage(W)	2.5W±10%	
Luminous Flux(Lm)	170-185Lm	
Efficiency(Lm/W)	70-75Lm/W	
Voltage(V)	12V,220V,110V	
Product size	5*5*5.6cm	
Base	GU10,E14,E27	

Sample Price:USD3.5/PCS

200 pcs Price: USD3.0/PCS



ZDMR16-60SMDPL		
Color	Warm White	White
Color Temperature	2600-3000K	6000-7000K
LED Number	60SMD (3528)	
LED Luminous Flux	4-5Lm	
LED Viewing Angle	120°	
Wattage(W)	3W±10%	
Luminous Flux(Lm)	210-225Lm	
Efficiency(Lm/W)	70-75Lm/W	
Voltage(V)	12V,220V,110V	
Product size	5*5*5.6cm	
Base	MR16	

Sample Price:USD4.6/PCS

200 pcs Price: USD4.0/PCS



ZDGM10-60SMDPL		
Color	Warm White	White
Color Temperature	2600-3000K	6000-7000K
LED Number	60SMD (3528)	
LED Luminous Flux	4-5Lm	
LED Viewing Angle	120°	
Wattage(W)	3W±10%	
Luminous Flux(Lm)	210-225Lm	
Efficiency(Lm/W)	70-75Lm/W	
Voltage(V)	12V,220V,110V	
Product size	5*5*5.6cm	
Base	GU10,E14,E27	

Sample Price:USD4.6/PCS

200 pcs Price: USD4.0/PCS



ZDMR16-12SMDPL		
Color	Warm White	White
Color Temperature	2600-3000K	6000-7000K
LED Number	12SMD (5050)	
LED Luminous Flux	14-15Lm	
LED Viewing Angle	120°	
Wattage(W)	2W±10%	
Luminous Flux(Lm)	140-150Lm	
Efficiency(Lm/W)	70-75Lm/W	
Voltage(V)	12V	
Product size	5*5*5.6cm	
Base	MR16	

Sample Price:USD3.2/PCS









200 pcs Price: USD2.8/PCS










ZDJDRE27-12SMDPL		
Color	Warm White	White
Color Temperature	2600-3000K	6000-7000K
LED Number	12SMD (5050)	
LED Luminous Flux	14-15Lm	
LED Viewing Angle	120°	
Wattage(W)	2W±10%	
Luminous Flux(Lm)	140-150Lm	
Efficiency(Lm/W)	70-75Lm/W	
Voltage(V)	230V/125V	
Product size	5*5*5.6cm	
Base	GU10,E14,E27	

Sample Price:USD3.2/PCS








200 pcs Price: USD2.8/PCS

	<b>ZDMR16-21SMDPL</b>			   	<b>ZDGM10-21SMDPL</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	21SMD (5050)			LED Number	21SMD (5050)	
	LED Luminous Flux	14-15Lm			LED Luminous Flux	14-15Lm	
	LED Viewing Angle	120°			LED Viewing Angle	120°	
	Wattage(W)	3.3W±10%			Wattage(W)	3.3W±10%	
	Luminous Flux(Lm)	230-245Lm			Luminous Flux(Lm)	230-245Lm	
	Sample Price:USD4.7/PCS	Efficiency(Lm/W)	70-75Lm/W		Sample Price:USD4.7/PCS	Efficiency(Lm/W)	70-75Lm/W
200 pcs Price: USD4.0/PCS	Voltage(V)	12V		200 pcs Price: USD4.0/PCS	Voltage(V)	230V/125V	
	Product size	5*5*5.6cm			Product size	5*5*5.6cm	
	Base	MR16			Base	GU10,E14,E27	
	<b>ZDMR16-3*1W-1</b>				<b>ZDMR16-3*1W-2</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	3LED			LED Number	3LED	
	LED Luminous Flux	90-100Lm			LED Luminous Flux	90-100Lm	
	LED Viewing Angle	15°30°45°			LED Viewing Angle	15°30°45°	
	Wattage(W)	3W±10%			Wattage(W)	3W±10%	
	Luminous Flux(Lm)	165Lm			Luminous Flux(Lm)	165Lm	
	Sample Price:USD5.0/PCS	Efficiency(Lm/W)	55Lm/W		Sample Price:USD5.0/PCS	Efficiency(Lm/W)	55Lm/W
200 pcs Price: USD4.3/PCS	Voltage(V)	12V AC/DC		200 pcs Price: USD4.3/PCS	Voltage(V)	12V AC/DC	
	Product size	5*5*6.2cm			Product size	5*5*6.2cm	
	Base	MR16			Base	MR16	
	<b>ZDGM10-3*1W-1</b>				<b>ZDE27-3*1W-1</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	3LED			LED Number	3LED	
	LED Luminous Flux	90-100Lm			LED Luminous Flux	90-100Lm	
	LED Viewing Angle	15°30°45°			LED Viewing Angle	15°30°45°	
	Wattage(W)	3W±10%			Wattage(W)	3W±10%	
	Luminous Flux(Lm)	165Lm			Luminous Flux(Lm)	165Lm	
	Sample Price:USD5.0/PCS	Efficiency(Lm/W)	55Lm/W		Sample Price:USD5.0/PCS	Efficiency(Lm/W)	55Lm/W
200 pcs Price: USD4.3/PCS	Voltage(V)	85-260V		200 pcs Price: USD4.3/PCS	Voltage(V)	85-260V	
	Product size	5*5*6.2cm			Product size	5*5*6.2cm	
	Base	GU0,E14,E27			Base	GU0,E14,E27	

	<b>ZDGU10-3*1W-2</b>				<b>ZDGU10-3*1W-2</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	3LED			LED Number	3LED	
	LED Luminous Flux	90-100Lm			LED Luminous Flux	90-100Lm	
	LED Viewing Angle	15°30°45°			LED Viewing Angle	15°30°45°	
	Wattage(W)	3W±10%			Wattage(W)	3W±10%	
	Luminous Flux(Lm)	165Lm			Luminous Flux(Lm)	165Lm	
	Sample Price:USD5.0/PCS	Efficiency(Lm/W)	55Lm/W		Sample Price:USD5.0/PCS	Efficiency(Lm/W)	55Lm/W
200 pcs Price: USD4.3/PCS	Voltage(V)	85-260V		200 pcs Price: USD4.3/PCS	Voltage(V)	85-260V	
	<b>Product size</b>	<b>5*5*6.2cm</b>			<b>Product size</b>	<b>5*5*6.2cm</b>	
	Base	GU0,E14,E27			Base	GU0,E14,E27	
	<b>ZDMR16-1W-1</b>				<b>ZDMR16-3W-1</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	1LED			LED Number	1LED	
	LED Luminous Flux	90-100Lm			LED Luminous Flux	150-180Lm	
	LED Viewing Angle	38°			LED Viewing Angle	38°	
	Wattage(W)	1W±10%			Wattage(W)	3W±10%	
	Luminous Flux(Lm)	60Lm			Luminous Flux(Lm)	150Lm	
	Sample Price:USD3.0/PCS	Efficiency(Lm/W)	60LM/W		Sample Price:USD3.0/PCS	Efficiency(Lm/W)	50LM/W
200 pcs Price: USD2.6/PCS	Voltage(V)	12V AC/DC		200 pcs Price: USD2.6/PCS	Voltage(V)	12V AC/DC	
	<b>Product size</b>	<b>5*5*6.2cm</b>			<b>Product size</b>	<b>5*5*6.2cm</b>	
	Base	MR16			Base	MR16	
	<b>ZDGU10-1W-1</b>				<b>ZDGU10-3W-1</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	1LED			LED Number	1LED	
	LED Luminous Flux	90-100Lm			LED Luminous Flux	150-180Lm	
	LED Viewing Angle	38°			LED Viewing Angle	38°	
	Wattage(W)	1W±10%			Wattage(W)	3W±10%	
	Luminous Flux(Lm)	60Lm			Luminous Flux(Lm)	150Lm	
	Sample Price:USD4.0/PCS	Efficiency(Lm/W)	60LM/W		Sample Price:USD4.0/PCS	Efficiency(Lm/W)	50LM/W
200 pcs Price: USD3.2/PCS	Voltage(V)	85-260V		200 pcs Price: USD3.2/PCS	Voltage(V)	85-260V	
	<b>Product size</b>	<b>5*5*6.2cm</b>			<b>Product size</b>	<b>5*5*6.2cm</b>	
	Base	GU0,E14,E27			Base	GU0,E14,E27	

	<b>ZDMR16-1W-2</b>				<b>ZDMR16-3W-2</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	1LED			LED Number	1LED	
	LED Luminous Flux	90-100Lm			LED Luminous Flux	150-180Lm	
	LED Viewing Angle	38°			LED Viewing Angle	38°	
	Wattage(W)	1W±10%			Wattage(W)	3W±10%	
	Luminous Flux(Lm)	60Lm			Luminous Flux(Lm)	150Lm	
	Sample Price:USD3.0/PCS	Efficiency(Lm/W)	60LM/W		Sample Price:USD4.0/PCS	Efficiency(Lm/W)	50LM/W
	200 pcs Price: USD2.6/PCS	Voltage(V)	12V AC/DC		200 pcs Price: USD3.2/PCS	Voltage(V)	12V AC/DC
	<b>Product size</b>	<b>5*5*6.2cm</b>			<b>Product size</b>	<b>5*5*6.2cm</b>	
	Base	MR16			Base	MR16	
	<b>ZDGU10-1W-2</b>				<b>ZDGU10-3W-2</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	1LED			LED Number	1LED	
	LED Luminous Flux	90-100Lm			LED Luminous Flux	150-180Lm	
	LED Viewing Angle	38°			LED Viewing Angle	38°	
	Wattage(W)	1W±10%			Wattage(W)	3W±10%	
	Luminous Flux(Lm)	60Lm			Luminous Flux(Lm)	150Lm	
	Sample Price:USD4.0/PCS	Efficiency(Lm/W)	60LM/W		Sample Price:USD4.0/PCS	Efficiency(Lm/W)	50LM/W
	200 pcs Price: USD3.2/PCS	Voltage(V)	85-260V		200 pcs Price: USD3.2/PCS	Voltage(V)	85-260V
	<b>Product size</b>	<b>5*5*6.2cm</b>			<b>Product size</b>	<b>5*5*6.2cm</b>	
	Base	GU0,E14,E27			Base	GU0,E14,E27	
	<b>ZDMR16-1W-3</b>				<b>ZDMR16-3W-3</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	1LED			LED Number	1LED	
	LED Luminous Flux	90-100Lm			LED Luminous Flux	150-180Lm	
	LED Viewing Angle	38°			LED Viewing Angle	38°	
	Wattage(W)	1W±10%			Wattage(W)	3W±10%	
	Luminous Flux(Lm)	60Lm			Luminous Flux(Lm)	150Lm	
	Sample Price:USD3.0/PCS	Efficiency(Lm/W)	60LM/W		Sample Price:USD4.0/PCS	Efficiency(Lm/W)	50LM/W
	200 pcs Price: USD2.6/PCS	Voltage(V)	12V AC/DC		200 pcs Price: USD3.2/PCS	Voltage(V)	12V AC/DC
	<b>Product size</b>	<b>5*5*6.2cm</b>			<b>Product size</b>	<b>5*5*6.2cm</b>	
	Base	MR16			Base	MR16	





	<b>ZDGU10-1W-3</b>				<b>ZDGU10-3W-3</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	1LED			LED Number	1LED	
	LED Luminous Flux	90-100Lm			LED Luminous Flux	150-180Lm	
	LED Viewing Angle	38°			LED Viewing Angle	38°	
	Wattage(W)	1W±10%			Wattage(W)	3W±10%	
	Luminous Flux(Lm)	60Lm			Luminous Flux(Lm)	150Lm	
Sample Price:USD3.8/PCS	Efficiency(Lm/W)	60LM/W		Sample Price:USD4.6/PCS	Efficiency(Lm/W)	50LM/W	
200 pcs Price: USD3.0/PCS	Voltage(V)	85-260V		200 pcs Price: USD4.0/PCS	Voltage(V)	85-260V	
	<b>Product size</b>	<b>5*5*6.2cm</b>			<b>Product size</b>	<b>5*5*6.2cm</b>	
	Base	GU0,E14,E27			Base	GU0,E14,E27	
	<b>ZDMR16-1W-4</b>				<b>ZDMR16-3W-4</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	1LED			LED Number	1LED	
	LED Luminous Flux	90-100Lm			LED Luminous Flux	150-180Lm	
	LED Viewing Angle	38°			LED Viewing Angle	38°	
	Wattage(W)	1W±10%			Wattage(W)	3W±10%	
	Luminous Flux(Lm)	60Lm			Luminous Flux(Lm)	150Lm	
Sample Price:USD3.8/PCS	Efficiency(Lm/W)	60LM/W		Sample Price:USD4.6/PCS	Efficiency(Lm/W)	50LM/W	
200 pcs Price: USD3.0/PCS	Voltage(V)	12V AC/DC		200 pcs Price: USD4.0/PCS	Voltage(V)	12V AC/DC	
	<b>Product size</b>	<b>5*5*6.2cm</b>			<b>Product size</b>	<b>5*5*6.2cm</b>	
	Base	MR16			Base	MR16	
	<b>ZJDRE27-3W-4</b>				<b>ZDMR16-3*2W</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	1LED			LED Number	3LED	
	LED Luminous Flux	150-180Lm			LED Luminous Flux	70-80Lm	
	LED Viewing Angle	38°			LED Viewing Angle	30°	
	Wattage(W)	3W±10%			Wattage(W)	6W±10%	
	Luminous Flux(Lm)	150Lm			Luminous Flux(Lm)	300Lm	
Sample Price:USD4.6/PCS	Efficiency(Lm/W)	50LM/W		Sample Price: USD7.5/PC	Efficiency(Lm/W)	50Lm/W	
200 pcs Price: USD4.0/PCS	Voltage(V)	85-260V		200 pcs Price: USD6.9/PC	Voltage(V)	85-260V	
	<b>Product size</b>	<b>5*5*6.2cm</b>			<b>Product size</b>	<b>5*5*6.2cm</b>	
	Base	GU0,E14,E27			Base	GU0,E14,E27	







 	<b>ZDGUI0-3*2W</b>				<b>ZDPAR30-7*1W</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	3LED			LED Number	7LED	
	LED Luminous Flux	70-80Lm			LED Luminous Flux	90-100Lm	
	LED Viewing Angle	30°			LED Viewing Angle	30°	
	Wattage(W)	6W±10%			Wattage(W)	7W±10%	
	Luminous Flux(Lm)	300Lm			Luminous Flux(Lm)	500Lm	
	Sample Price: USD7.5/PC	Efficiency(Lm/W)	50Lm/W		Sample Price:USD13.0/PCS	Efficiency(Lm/W)	55Lm/W
	200 pcs Price: USD6.9/PC	Voltage(V)	85-260V		200 pcs: USD12.0/PCS	Voltage(V)	85-260V
	<b>Product size</b>	<b>5*5*6.2cm</b>		<b>Product size</b>	<b>8.2*8.2*9.5cm</b>		
	Base	GU0,E14,E27		Base	E27		
	<b>ZDPAR30-5*1W</b>				<b>ZDPAR20-5*1W</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	5LED			LED Number	5LED	
	LED Luminous Flux	90-100Lm			LED Luminous Flux	90-100Lm	
	LED Viewing Angle	30°			LED Viewing Angle	30°	
	Wattage(W)	5W±10%			Wattage(W)	5W±10%	
	Luminous Flux(Lm)	270Lm			Luminous Flux(Lm)	270Lm	
	Sample Price:USD11.0/PCS	Efficiency(Lm/W)	55Lm/W		Sample Price:USD10.0/PCS	Efficiency(Lm/W)	55Lm/W
	200 pcs: USD10.0/PCS	Voltage(V)	85-260V		200 pcs Price: USD9.4/PCS	Voltage(V)	85-260V
	<b>Product size</b>	<b>8.2*8.2*9.5cm</b>		<b>Product size</b>	<b>6.3*6.3*8cm</b>		
	Base	E27		Base	E27		
	<b>ZDPAR38-12*1W</b>				<b>ZDPAR38-9*1W</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	12LED			LED Number	9LED	
	LED Luminous Flux	90-100Lm			LED Luminous Flux	90-100Lm	
	LED Viewing Angle	30°			LED Viewing Angle	30°	
	Wattage(W)	12W±10%			Wattage(W)	9W±10%	
	Luminous Flux(Lm)	620Lm			Luminous Flux(Lm)	500Lm	
	Sample:USD23.7/PCS	Efficiency(Lm/W)	55Lm/W		Sample :USD22.0/PCS	Efficiency(Lm/W)	55Lm/W
	200 pcs: USD22.6/PCS	Voltage(V)	85-260V		200 pcs: USD19.5/PCS	Voltage(V)	85-260V
	<b>Product size</b>	<b>12.2*12.2*14cm</b>		<b>Product size</b>	<b>12.2*12.2*14cm</b>		
	Base	E27		Base	E27		



	ZDPAR38-7*1W				ZDPAR38-7*3W		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	7LED			LED Number	7LED	
	LED Luminous Flux	90-100Lm			LED Luminous Flux	350-380Lm	
	LED Viewing Angle	30°			LED Viewing Angle	30°	
	Wattage(W)	7W±10%			Wattage(W)	21W±10%	
	Luminous Flux(Lm)	370Lm			Luminous Flux(Lm)	370Lm	
	Sample :USD15.0/PCS	Efficiency(Lm/W)	55Lm/W		Sample :USD17.0/PCS	Efficiency(Lm/W)	55Lm/W
200 pcs: USD14.0/PCS	Voltage(V)	85-260V		200 pcs : USD16.0/PCS	Voltage(V)	85-260V	
	Product size	12.2*12.2*14cm			Product size	12.2*12.2*14cm	
	Base	E27			Base	E27	







## LED Bulb series


 	ZDSG40-24D			 	ZDG40-12D		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	24LED			LED Number	12LED	
	LED Luminous Flux	5-6Lm			LED Luminous Flux	5-6Lm	
	LED Viewing Angle	80°			LED Viewing Angle	120°	
	Wattage(W)	1.2W±10%			Wattage(W)	0.6W±10%	
	Luminous Flux(Lm)	102-108Lm			Luminous Flux(Lm)	51-54Lm	
	Sample Price:USD2.2/PCS	Efficiency(Lm/W)	85-90Lm/W		Sample Price:USD1.95/PCS	Efficiency(Lm/W)	85-90Lm/W
200 pcs Price: USD2.03/PCS	Voltage(V)	230V/125V		200 pcs Price: USD1.85/PCS	Voltage(V)	230V/125V	
	Product size	4*4*6.1cm			Product size	4*4*7cm	
	Base	E27,E17,E14,E12			Base	E27,E17,E14,E12	

	<b>ZDG60-60D</b>				<b>ZDG65-80D</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	60LED			LED Number	80LED	
	LED Luminous Flux	5-6Lm			LED Luminous Flux	5-6Lm	
	LED Viewing Angle	120°			LED Viewing Angle	120°	
	Wattage(W)	3W±10%			Wattage(W)	4W±10%	
	Luminous Flux(Lm)	255-270Lm			Luminous Flux(Lm)	340-360Lm	
	Sample Price:USD6.4/PCS	Efficiency(Lm/W)	85-90Lm/W		Sample Price:USD7.5/PCS	Efficiency(Lm/W)	85-90Lm/W
	200 pcs Price: USD6.08/PCS	Voltage(V)	230V/125V		200 pcs Price: USD7.1/PCS	Voltage(V)	230V/125V
	<b>Product size</b>	<b>5.7*5.7*10.8cm</b>		<b>Product size</b>	<b>5.7*5.7*12cm</b>		
	Base	E27,E14		Base	E27,E14		
	<b>ZDG65-90D</b>				<b>ZDG55-80D</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	100LED			LED Number	80LED	
	LED Luminous Flux	5-6Lm			LED Luminous Flux	5-6Lm	
	LED Viewing Angle	120°			LED Viewing Angle	120°	
	Wattage(W)	5W±10%			Wattage(W)	4W±10%	
	Luminous Flux(Lm)	320-350Lm			Luminous Flux(Lm)	340-360Lm	
	Sample Price:USD8.0/PCS	Efficiency(Lm/W)	65-70Lm/W		Sample Price:USD7.5/PCS	Efficiency(Lm/W)	85-90Lm/W
	200 pcs Price: USD7.6/PCS	Voltage(V)	230V/125V		200 pcs Price: USD7.1/PCS	Voltage(V)	230V/125V
	<b>Product size</b>	<b>5.7*5.7*12.5cm</b>		<b>Product size</b>	<b>5.2*5.2*14cm</b>		
	Base	E27,E14		Base	E27,E14		
	<b>ZDG65-150D</b>				<b>ZDG65-204D</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	150LED			LED Number	204LED	
	LED Luminous Flux	5-6Lm			LED Luminous Flux	5-6Lm	
	LED Viewing Angle	120°			LED Viewing Angle	120°	
	Wattage(W)	7.5W±10%			Wattage(W)	10W±10%	
	Luminous Flux(Lm)	638-675Lm			Luminous Flux(Lm)	850-900Lm	
	Sample Price: USD11.2/PC	Efficiency(Lm/W)	85-90Lm/W		Sample Price:USD14.7/PCS	Efficiency(Lm/W)	85-90Lm/W
	200 pcs Price: USD10.5/PC	Voltage(V)	230V/125V		200 pcs Price: USD13.95/PCS	Voltage(V)	230V/125V/36V
	<b>Product size</b>	<b>5.8*5.8*16.5cm</b>		<b>Product size</b>	<b>5.8*5.8*16.5cm</b>		
	Base	E27,E14		Base	E27,E14		



	<b>ZDG60-5*1W</b>				<b>ZDG50-3*1W-A</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	5LED			LED Number	3LED	
	LED Luminous Flux	90-100Lm			LED Luminous Flux	90-100Lm	
	LED Viewing Angle	30°			LED Viewing Angle	30°	
	Wattage(W)	5W±10%			Wattage(W)	3W±10%	
	Luminous Flux(Lm)	250Lm			Luminous Flux(Lm)	150Lm	
	Sample Price:USD11.80/PCS	Efficiency(Lm/W)	50Lm/W		Sample Price:USD7.50/PCS	Efficiency(Lm/W)	50Lm/W
	200 pcs Price: USD11.0/PCS	Voltage(V)	85-260V		200 pcs Price: USD6.4/PCS	Voltage(V)	85-260V
	<b>Product size</b>	<b>6*6*10cm</b>			<b>Product size</b>	<b>5*5*10cm</b>	
	Base	E27			Base	E27	
	<b>ZDG50-3*1W-B</b>				<b>ZDG70-60D</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	3LED			LED Number	60LED	
	LED Luminous Flux	90-100Lm			LED Luminous Flux	5-6Lm	
	LED Viewing Angle	30°			LED Viewing Angle	60°	
	Wattage(W)	3W±10%			Wattage(W)	3W±10%	
	Luminous Flux(Lm)	150Lm			Luminous Flux(Lm)	270-300Lm	
	Sample Price:USD7.50/PCS	Efficiency(Lm/W)	50Lm/W		Sample Price:USD4.5/PCS	Efficiency(Lm/W)	90-100Lm/w
	200 pcs Price: USD6.4/PCS	Voltage(V)	85-260V		200 pcs Price: USD4.0/PCS	Voltage(V)	85-265V
	<b>Product size</b>	<b>5*5*10cm</b>			<b>Product size</b>	<b>5*5*10cm</b>	
	Base	E27			Base	E27	
	<b>ZDG50-40D3CXD</b>				<b>ZDG60-5*1WMS</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	3LED			LED Number	5LED	
	LED Luminous Flux	90-100Lm			LED Luminous Flux	90-100Lm	
	LED Viewing Angle	30°			LED Viewing Angle	30°	
	Wattage(W)	1.7W±10%			Wattage(W)	5W±10%	
	Luminous Flux(Lm)	160-180Lm			Luminous Flux(Lm)	250Lm	
	Sample Price:USD7.50/PCS	Efficiency(Lm/W)	95-110Lm/W		Sample Price:USD11.80/PCS	Efficiency(Lm/W)	50Lm/W
	200 pcs Price: USD6.4/PCS	Voltage(V)	220V/110V		200 pcs Price: USD11.0/PCS	Voltage(V)	85-260V
	<b>Product size</b>	<b>5.2*5.2*10.8cm</b>			<b>Product size</b>	<b>6*6*10cm</b>	
	Base	E27			Base	E27	

# LED Candle Light series







	<b>ZDSC30-30SMD</b>				<b>ZDSC35-56SMD</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	30SMD(3020)			LED Number	56SMD(3020)	
	LED Luminous Flux	5-6Lm			LED Luminous Flux	5-6Lm	
	LED Viewing Angle	120°			LED Viewing Angle	120°	
	Wattage(W)	1.5W±10%			Wattage(W)	3.0W±10%	
	Luminous Flux(Lm)	128-135Lm			Luminous Flux(Lm)	210--250Lm	
	Efficiency(Lm/W)	85-90Lm/W			Efficiency(Lm/W)	85-90Lm/W	
	Sample Price:USD3.2/PCS	Voltage(V)			230V/125V	Sample Price:USD6.8/PCS	Voltage(V)
200 pcs Price: USD3.07/PCS	<b>Product size</b>		<b>3*3*9.3cm</b>	200 pcs Price: USD6.4/PCS	<b>Product size</b>		<b>4.5*4.5*15cm</b>
	Base		E17,E14,E12		Base		E17,E14,E12
	<b>ZDC30-12D</b>				<b>ZDC35-18D</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	12LED			LED Number	12LED	
	LED Luminous Flux	5-6Lm			LED Luminous Flux	5-6Lm	
	LED Viewing Angle	120°			LED Viewing Angle	120°	
	Wattage(W)	0.6W±10%			Wattage(W)	1.2W±10%	
	Luminous Flux(Lm)	51-54Lm			Luminous Flux(Lm)	102-108Lm	
	Efficiency(Lm/W)	85-90Lm/W			Efficiency(Lm/W)	85-90Lm/W	
	Sample Price:USD1.95/PCS	Voltage(V)			230V/125V	Sample Price:USD2.1/PCS	Voltage(V)
200 pcs Price: USD1.85/PCS	<b>Product size</b>		<b>3*3*9.9cm</b>	200 pcs Price: USD1.6/PCS	<b>Product size</b>		<b>3*3*9.9cm</b>
	Base		E27,E17,E14,E12		Base		E27,E17,E14,E12
	<b>ZDG35-60D</b>				<b>ZDC35-1*3W</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	60LED			LED Number	1LED	
	LED Luminous Flux	6-7Lm			LED Luminous Flux	80-100Lm	
	LED Viewing Angle	120°			LED Viewing Angle	120°	
	Wattage(W)	3W±10%			Wattage(W)	3W±10%	
	Luminous Flux(Lm)	255-270Lm			Luminous Flux(Lm)	255-270Lm	
	Efficiency(Lm/W)	85-90Lm/W			Efficiency(Lm/W)	85-90Lm/W	
	Sample Price:USD6.4/PCS	Voltage(V)			230V/125V	Sample Price:USD7.0/PCS	Voltage(V)
200 pcs Price: USD6.08/PCS	<b>Product size</b>		<b>3.8*3.8*12.8cm</b>	200 pcs Price: USD6.5/PCS	<b>Product size</b>		<b>3.8*3.8*12.8cm</b>
	Base		E27,E14		Base		E27,E14

		ZDC35-3*1W			ZDC35-1*3W		
		Color	Warm White	White	Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	3LED			LED Number	1	
	LED Luminous Flux	80-100Lm			LED Luminous Flux	5-6Lm	
	LED Viewing Angle	120°			LED Viewing Angle	120°	
	Wattage(W)	3W±10%			Wattage(W)	3W±10%	
	Luminous Flux(Lm)	255-270Lm			Luminous Flux(Lm)	255-270Lm	
	Sample Price:USD9.0/PCS	Efficiency(Lm/W)	85-90Lm/W		Sample Price:USD7.0/PCS	Efficiency(Lm/W)	85-90Lm/W
	200 pcs Price: USD8.5/PCS	Voltage(V)	230V/125V		200 pcs Price: USD6.5/PCS	Voltage(V)	230V/125V
	<b>Product size</b>	<b>3.8*3.8*12.8cm</b>			<b>Product size</b>	<b>3.8*3.8*12.8cm</b>	
	Base	E27,E14			Base	E27,E14	

## LED Tube series

		ZDT860-80DPL			ZDT860-174D		
		Color	Warm White	White	Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	120LED			LED Number	174LED	
	LED Luminous Flux	5-6Lm			LED Luminous Flux	6-7Lm	
	LED Viewing Angle	80°			LED Viewing Angle	80°	
	Wattage(W)	4.5W±10%			Wattage(W)	8W±10%	
	Luminous Flux(Lm)	310-340Lm			Luminous Flux(Lm)	640-680Lm	
	Sample Price:USD10.5/PCS	Efficiency(Lm/W)	70-75Lm/W		Sample Price:USD18.5/PCS	Efficiency(Lm/W)	80-85Lm/W
	200 pcs Price: USD9.0/PCS	Voltage(V)	85-260V		200 pcs: USD17.3/PCS	Voltage(V)	85-260V
	<b>Product size</b>	<b>3*3*60cm</b>			<b>Product size</b>	<b>3*3*60cm</b>	
	Base				Base		
	ZDT860-120DPL			ZDT8120-276D			
	Color	Warm White	White	Color	Warm White	White	
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	120LED			LED Number	276LED	
	LED Luminous Flux	5-6Lm			LED Luminous Flux	6-7Lm	
	LED Viewing Angle	80°			LED Viewing Angle	80°	
	Wattage(W)	7W±10%			Wattage(W)	14.5W±10%	
	Luminous Flux(Lm)	490-520Lm			Luminous Flux(Lm)	1160-1260Lm	
Sample Price:USD13.0/PCS	Efficiency(Lm/W)	70-75Lm/W		Sample Price:USD28.1/PCS	Efficiency(Lm/W)	80-85Lm/W	
200 pcs Price: USD11.5/PCS	Voltage(V)	85-260V		200 pcs: USD26.7/PCS	Voltage(V)	85-260V	
	<b>Product size</b>	<b>3*3*60cm</b>			<b>Product size</b>	<b>3*3*120cm</b>	
	Base				Base		


	<b>ZDT860-174DPL</b>				<b>ZDT8150-342D</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	174LED			LED Number	342LED	
	LED Luminous Flux	5-6Lm			LED Luminous Flux	6-7Lm	
	LED Viewing Angle	80°			LED Viewing Angle	80°	
	Wattage(W)	9W±10%			Wattage(W)	17.5W±10%	
	Luminous Flux(Lm)	630-670Lm			Luminous Flux(Lm)	1400-1500Lm	
	Sample Price:USD15.0/PCS	Efficiency(Lm/W)	70-75Lm/W		Sample Price:USD35.8/PCS	Efficiency(Lm/W)	80-85Lm/W
200 pcs Price: USD13.5/PCS	Voltage(V)	85-260V		200 pcs Price: USD33.5/PCS	Voltage(V)	85-260V	
	<b>Product size</b>	<b>3*3*60cm</b>		500 pcs Price: USD33.2/PCS	<b>Product size</b>	<b>3*3*150cm</b>	
	Base			1000 pcs Price: USD32.8/PCS	Base		
	<b>ZDT8120-276DPL</b>				<b>ZDT8150-342D</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	276LED			LED Number	342LED	
	LED Luminous Flux	5-6Lm			LED Luminous Flux	6-7Lm	
	LED Viewing Angle	80°			LED Viewing Angle	80°	
	Wattage(W)	15W±10%			Wattage(W)	17.5W±10%	
	Luminous Flux(Lm)	1000-1100Lm			Luminous Flux(Lm)	1400-1500Lm	
	Sample Price:USD23.0/PCS	Efficiency(Lm/W)	70-75Lm/W		Sample Price:USD35.8/PCS	Efficiency(Lm/W)	80-85Lm/W
200 pcs Price: USD21.5/PCS	Voltage(V)	85-260V		200 pcs Price: USD33.5/PCS	Voltage(V)	85-260V	
	<b>Product size</b>	<b>3*3*120cm</b>		500 pcs Price: USD33.2/PCS	<b>Product size</b>	<b>3*3*150cm</b>	
	Base			1000 pcs Price: USD32.8/PCS	Base		
	<b>ZDT860-144SMDPL</b>				<b>ZDT5-40D</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	144 SMD(3528)			LED Number	40LED	
	LED Luminous Flux	5-6Lm			LED Luminous Flux	6-7Lm	
	LED Viewing Angle	80°			LED Viewing Angle	80°	
	Wattage(W)	8W±10%			Wattage(W)	2W±10%	
	Luminous Flux(Lm)	560-600Lm			Luminous Flux(Lm)	150-160Lm	
	Sample Price:USD14.0/PCS	Efficiency(Lm/W)	70-75Lm/W		Sample Price:USD6.2/PCS	Efficiency(Lm/W)	75-80Lm/W
200 pcs Price: USD12.5/PCS	Voltage(V)	85-260V		200 pcs: USD5.9/PCS	Voltage(V)	230V/125V	
	<b>Product size</b>	<b>3*3*60cm</b>			<b>Product size</b>	<b>2*2*55cm</b>	
	Base				Base		

	<b>ZDT8120-288SMDPL</b>				<b>ZDT860-72SMD5050</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	288 SMD(3528)			LED Number	72LED	
	LED Luminous Flux	5-6Lm			LED Luminous Flux	18-22Lm	
	LED Viewing Angle	80°			LED Viewing Angle	120°	
	Wattage(W)	18W±10%			Wattage(W)	12W±10%	
	Luminous Flux(Lm)	1200-1300Lm			Luminous Flux(Lm)	950-1100Lm	
	Sample Price:USD26.0/PCS	Efficiency(Lm/W)	70-75Lm/W		Sample Price:USD25.0/PCS	Efficiency(Lm/W)	90-95Lm/W
200 pcs Price: USD24.5/PCS	Voltage(V)	85-260V		200 pcs: USD23.0/PCS	Voltage(V)	85-260V	
	<b>Product size</b>	<b>3*3*120cm</b>			<b>Product size</b>	<b>2.6*2.6*60cm</b>	
	Base				Base		
	<b>ZDT8150-342DPL</b>				<b>ZDT8120-144SMD5050</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	342LED			LED Number	144LED	
	LED Luminous Flux	5-6Lm			LED Luminous Flux	18-22Lm	
	LED Viewing Angle	80°			LED Viewing Angle	120°	
	Wattage(W)	18W±10%			Wattage(W)	25W±10%	
	Luminous Flux(Lm)	1200-1300Lm			Luminous Flux(Lm)	1900-2100Lm	
	Sample Price:USD27.0/PCS	Efficiency(Lm/W)	70-75Lm/W		Sample Price:USD37.0/PCS	Efficiency(Lm/W)	90-95Lm/W
200 pcs Price: USD25.5/PCS	Voltage(V)	85-260V		200 pcs: USD35.0/PCS	Voltage(V)	85-260V	
	<b>Product size</b>	<b>3*3*150cm</b>			<b>Product size</b>	<b>2.6*2.6*60cm</b>	
	Base				Base		
	<b>ZD060-216SMD3528</b>				<b>ZDT10120-432SMD3528</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	216LED			LED Number	432LED	
	LED Luminous Flux	6-7Lm			LED Luminous Flux	6-7Lm	
	LED Viewing Angle	120°			LED Viewing Angle	120°	
	Wattage(W)	12W±10%			Wattage(W)	23W±10%	
	Luminous Flux(Lm)	900-1000Lm			Luminous Flux(Lm)	1800-2000Lm	
	Sample Price:USD37.0/PCS	Efficiency(Lm/W)	90-95Lm/W		Sample Price:USD37.0/PCS	Efficiency(Lm/W)	90-95Lm/W
200 pcs: USD35.0/PCS	Voltage(V)	85-260V		200 pcs: USD35.0/PCS	Voltage(V)	85-260V	
	<b>Product size</b>	<b>3*3*60cm</b>			<b>Product size</b>	<b>3*3*60cm</b>	
	Base				Base		

# LED Down Light series

	<b>ZDH5080-66DPL</b>				<b>ZDH6080-50DPL</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	66LED			LED Number	50LED	
	LED Luminous Flux	5-6Lm			LED Luminous Flux	5-6Lm	
	LED Viewing Angle	80°			LED Viewing Angle	80,120	
	Wattage(W)	3.3W±10%			Wattage(W)	2.5W±10%	
	Luminous Flux(Lm)	230-260Lm			Luminous Flux(Lm)	175-200Lm	
	Sample Price:USD5.5/PCS	Efficiency(Lm/W)	70-80Lm/W		Sample Price:USD5.15/PCS	Efficiency(Lm/W)	70-80Lm/W
	200 pcs Price: USD4.5/PCS	Voltage(V)	230V/125V		200 pcs Price: USD5.0/PCS	Voltage(V)	230V/125V
	<b>Product size</b>	<b>5*5*14cm</b>		<b>Product size</b>	<b>4.2×4.2×11 cm</b>		
	Base	E27,E14,G24		Base	E27,E14,G24		
	<b>ZDH6080-65DPL</b>				<b>ZDH6080-75DPL</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	65LED			LED Number	75LED	
	LED Luminous Flux	5-6Lm			LED Luminous Flux	5-6Lm	
	LED Viewing Angle	80°			LED Viewing Angle	80,120	
	Wattage(W)	3.2W±10%			Wattage(W)	3.8W±10%	
	Luminous Flux(Lm)	250-290Lm			Luminous Flux(Lm)	290-330Lm	
	Sample Price:USD5.5/PCS	Efficiency(Lm/W)	70-80Lm/W		Sample Price:USD6.0/PCS	Efficiency(Lm/W)	70-80Lm/W
	200 pcs Price: USD4.5/PCS	Voltage(V)	230V/125V		200 pcs Price: USD5.5/PCS	Voltage(V)	230V/125V
	<b>Product size</b>	<b>4.2×4.2×15.3 cm</b>		<b>Product size</b>	<b>4.2×4.2×17.3 cm</b>		
	Base	E27,E14,G24		Base	E27,E14,G24		
	<b>ZDTD-3*1W</b>				<b>ZDTD-7*1W</b>		
	Color	Warm White	White		Color	Warm White	White
	Color Temperature	2600-3000K	6000-7000K		Color Temperature	2600-3000K	6000-7000K
	LED Number	3LED			LED Number	7LED	
	LED Luminous Flux	90-100Lm			LED Luminous Flux	90-100Lm	
	LED Viewing Angle	30°			LED Viewing Angle	30°	
	Wattage(W)	3W±10%			Wattage(W)	7W±10%	
	Luminous Flux(Lm)	270-300LM			Luminous Flux(Lm)	630-700LM	
	Sample Price:USD10.0/PCS	Efficiency(Lm/W)			Sample Price:USD19.0/PCS	Efficiency(Lm/W)	
	200 pcs Price: USD9.5/PCS	Voltage(V)	85-260V		200 pcs Price: USD17.8/PCS	Voltage(V)	85-260V
	<b>Product size</b>			<b>Product size</b>			
	Base			Base			



ZDH360-24D3X				
	Color	Warm White	White	
	Color Temperature	2600-3000K	6000-7000K	
	LED Number	24LED		
	LED Luminous Flux	285-305Lm		
	Wattage(W)	3.6W±10%		
	Sample Price: USD6.5/PCS	Efficiency(Lm/W)	85-90Lm/W	
	200 pcs Price: USD5.5/PCS	Voltage(V)	230V/125V	
	Product size	5*5*16cm		
	Base	E27,E14,G24		

**P.S.**

**1, The above price are base on EXWORKS.**

**2.Delievery time: Within 5-7 working days after we received your payment.**

**3.Terms of Payment: we accept T/T,Paypal, Western Union.**

**4.Period of validity in 30 days**